## EAST Search History

| Ref<br># | Hits  | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|----------|-------|---|---|---------------------|---------|---------------------|
| L2       | 1     | "20040080799",pn.   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2008/05/22<br>14:16 |
| L3       | 1     | 2 and (surface near7 tilt\$4)   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2008/05/22<br>14:17 |
| L4       | 10443 | (two dimensional) near3 scan\$4   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2008/05/22<br>15:36 |
| L5       | 141   | 4 and (tilt with surface) and (tilt with (optical or lens or lenses or frame))  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2008/05/22<br>15:37 |
| L6       | 329   | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface and (tilted or shifted or angle) | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2008/05/22<br>15:37 |
| L7       | 51    | two-dimensional scanning apparatus  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2008/05/22<br>15:37 |
| L8       | 1978  | two-dimensional and deflector and light beam  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2008/05/22<br>15:38 |
| S1       | 87    | (two-dimensional scanning).ab.  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:45 |
| S3       | 3     | (two-dimensional scan?).ab.   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:50 |
| S4       | 11    | (two-dimensional scanner).ab.   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:46 |
| S7       | 2     | (two-dimensional scanner) and (deflector).ab.   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:47 |
| S8       | 20    | (two-dimensional scanner) and (light beam).ab.  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:47 |
| S10      | 1     | "4434659".pn.   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:52 |
| S11      | 1     | "4318582" .pn.  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>08:00 |
| S12      | 36    | two-dimensional scanning apparatus  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>07:52 |
| S13      | 8     | two- dimensional projector  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>13:17 |
| S14      | 22    | paper projector   | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>13:17 |
| S15      | 2038  | projector and finder  | US-PGPUB;<br>USPAT  | ADJ                 | ON      | 2007/07/03<br>13:18 |

| S16 | 5    | (two-dimensional scanning apparatus).ab.  | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>15:41 |
|-----|------|---|---|-----|----|---------------------|
| S17 | 75   | (ISHIHARA.in.) and (KEICHIRO.in.)   | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>15:45 |
| S18 | 96   | (two-dimensional) and (light beam and deflector).ab.  | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>16:17 |
| S19 | 1    | "20040080799"   | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>16:19 |
| S20 | 5    | "6064504"   | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>17:31 |
| S21 | 17   | (two-dimensional scanning).ti.  | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>17:35 |
| S22 | 5    | "6657763",pn. or "20020125352" or "6211988".pn. or "20040196571"  | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>17:42 |
| S23 | 7    | "1291681" or "2004341411"   | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>17:43 |
| S24 | 0    | ep "1,291,681"  | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/24<br>17:44 |
| S25 | 20   | "1,291,681" or "2004341411"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/24<br>17:45 |
| S26 | 1240 | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus))   | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/25<br>08:36 |
| S27 | 394  | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface                                  | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/25<br>08:45 |
| S28 | 306  | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface and (tilted or shifted or angle) | US-PGPUB;<br>USPAT  | ADJ | ON | 2007/10/25<br>15:08 |
| S29 | 642  | (two-dimensional scanning).ab.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:10 |
| 330 | 129  | (two-dimensional scanner).ab.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:10 |
| S31 | 4319 | two-dimensional and deflector   | US-PGPUB;<br>USPAT;<br>USCCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:11 |

| S32 | 1910 | two-dimensional and deflector and light beam  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:11 |
|-----|------|---|---|-----|----|---------------------|
| S33 | 3602 | two-dimensional and deflector and light   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:11 |
| S34 | 44   | two-dimensional scanning apparatus  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:11 |
| S35 | 15   | two-dimensional projector   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:11 |
| S36 | 156  | (ishihara.in.) and (keiichiro.in.)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:12 |
| S37 | 67   | (two-dimensional and light beam and deflector).ab.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:13 |
| S38 | 423  | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPPS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:15 |
| S39 | 315  | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface and (tilted or shifted or angle) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:15 |

| S40 | 25335281 | (@ad<="20031014" or @rlad<="20031014")  | US-PCPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB  | ADJ | ON | 2007/10/29<br>11:31 |
|-----|----------|---|---|-----|----|---------------------|
| S41 | 225      | S39 and S40   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB  | ADJ | ON | 2007/10/29<br>11:31 |
| S42 | 49       | S41 and projector   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/29<br>11:32 |
| S43 | 171      | ((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and (surface with (tilted or shifted or angle))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/10/31<br>08:54 |
| S44 | 11991    | (("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).cds.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/11/01<br>09:31 |
| S45 | 8599     | (("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).cds. and (@ad<="20031014" or @rlad<="20031014") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB  | ADJ | ON | 2007/11/01<br>09:32 |
| S46 | 12476    | (("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).cds.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB  | ADJ | ON | 2008/05/22<br>09:57 |
| S47 | 145      | (ISHI HARA KEI CHIRO).in.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB  | ADJ | ON | 2008/05/22<br>09:58 |
| S48 | 44       | two dimensional scanning apparatus  | US-PGPUB;<br>USPAT  | ADJ | ON | 2008/05/22          |
| S49 | 28       | two dimensional scanning apparatus and laser  | US-PGPUB;<br>USPAT  | ADJ | ON | 2008/05/22          |

| S50 | 1 | "6064504",pn. | JS-PGPUB; | AD. | ON | 2008/05/22 |
|-----|---|---------------|-----------|-----|----|------------|
|     |   |               | JSPAT     |     |    | 11:05      |

5/ 22/ 2008 3:41:27 PM

 $\hbox{C:$\backslash$ Documents and Settings$\backslash$ JBeckley$\backslash$ My Documents$\backslash$ EAST$\backslash$ Workspaces$\backslash$ DOCKET1-20040080799\_A1.wsp.}$